

# Index

- Basis lokaler Satz, 53
- Baum, ii
  - kubisch, ii
  - spannender, 44
  - subkubisch, ii
- Baumautomat, 18
  - Lauf, 18
- Baumsprache, 19
  - MSO-definierte, 20
  - regulär, 19
- Baumweite
  - $f$ -, 103
  - effektiv beschränkte lokale, 59
  - beschränkte lokale, 59
  - klassen beschränkter, 3
  - lokale, 59
- Baumzerlegung
  - einer Struktur, 15
  - eines Hypergraphen, 102
  - über  $\mathcal{C}$ , 66
- bewachtes Tupel, 105
- Bild
  - homomorphes, 88
- bipartit, 78
  
- chromatische Zahl, 4
- Cover-Baumweite, 104
  
- Datenbank, 83
- Distanz, 44
- Durchmesser, 44
  
- fixed-parameter tractable, 94
- Fladen, 96
- Fluchtraum, 109
- Fluchtraum bezüglich, 109
  
- Fläche, 41
- Formel
  - basis lokal, 53
  - lokal, 53
- FPT, 94
  
- Gaifman-Graph, 16
  - eines Hypergraphen, 101
- Gendarmen-Weite, 111
- Gewinnstrategie
  - monotone, 110
- Graph, i
  - eben, 41
  - gerichtet, ii
  - Größe, i
  - Ordnung, i
  - planar, 41
- Graphklasse,
  - echte, 64
- groß
  - $-M$ , 113
- Größe, i
  - einer Baumzerlegung, 107
  - einer Struktur, 79
  
- Homomorphieäquivalenz, 86
- Homomorphismus
  - von Graphen, 77
  - von Strukturen, 78
- Hypergraph, 101
- Hyperkanten, 101
  
- Inzidenzstruktur, 33
- Isomorphismus
  - von Strukturen, 87

- Kanten, 101
- Kern, 87
- knotenfrei, 64
- Konjunktive Anfrage, 84
  - Boolesche, 84
- Kontraktion, 35
- Lauf, 18
  - akzeptierend, 19
- Minor,
  - verbotener, 63
- Modell, 37
- Modellabbildung, 36
- Nachbarschaft, ii
  - $r$ -, 52
- Ordnung, i
  - eines Separators, 114
- Pfad, ii
- planar, 41
- Polynomialzeit Approximationsschema, 57
- PTAS, 57
- Rand, 41, 114
- Räuber-und-Gendarmen-Spiel, 109
- Schicht
  - $[i, j]$ , 49
- Separation, 10
  - Ordnung, 11
- Separator
  - $W$ -, 8
  - balancierter, 114
  - gewichtet, 8
- Sphäre
  - $i$ , 49
- Stelligkeit
  - einer Signatur, 93
- Struktur
  - zusammenhängende, 96
- Subhypergraph, 101
- Substruktur, 87
  - echte, 87
  - induzierte, 87
- Untergraph, i
  - induzierter, i
- Weg, ii
- Weite
  - $f$ -, 103
- Weitefunktion, 103
- Zusammenhangskomponente
  - einer Struktur, 99
- Überdeckung
  - $(r, w)$ , 49
- überdecken, 105

# Literaturverzeichnis

- [1] S. Abiteboul, R. Hull, and V. Vianu. *Foundations of Databases*. Addison-Wesley, 1995.
- [2] I. Adler. Marshals, monotone marshals, and hypertree-width. *Journal of Graph Theory*, 47:275–296, 2004.
- [3] S. Arnborg, D. Corneil, and A. Proskurowski. Complexity of finding embeddings in a  $k$ -tree. *SIAM Journal on Algebraic Discrete Methods*, 8:277 – 284, 1987.
- [4] S. Arnborg, J. Lagergren, and D. Seese. Easy problems for tree-decomposable graphs. *Journal of Algorithms*, 12:308 – 340, 1991.
- [5] B.S. Baker. Approximation algorithmus for NP-complete problems on planar graphs. *Journal of the ACM*, 41(1):153 – 180, 1994.
- [6] H. Bodlaender. A linear-time algorithm for finding tree-decompositions of small tree-width. *SIAM Journal on Computing*, 25:1305 – 1317, 1996.
- [7] A. Chandra and P.M. Merlin. Optimal implementation of conjunctive queries in relational databases. In *Proc. 9th ACM Symp. on theory of computing*, 1977.
- [8] V. Dalmau, Ph. G. Kolaitis, and M. Y. Vardi. Constraint satisfaction, bounded tree-width, and finite-variable logics. In P. van Hentenryck, editor, *Proc. 8th International Conference on Principles and Practice of Constraint Programming*, volume 2470 of *LNCS*, pages 310–326. Springer-Verlag, 2002.
- [9] A. Dawar, M. Grohe, and S. Kreutzer. Locally excluding a minor. In *Proc. LICS'07*, 2007. To appear.
- [10] A. Dawar, M. Grohe, S. Kreutzer, and N. Schweikardt. Model theory makes formulas large. In *Proc. ICALP 2007*, 2007.
- [11] R. Dechter. *Constraint Processing*. Morgan Kaufmann, 2003.
- [12] R.G. Downey and M.R. Fellows. *Parameterized Complexity*. Springer-Verlag, 1999.
- [13] T. Feder and M. Vardi. The computational structure of monotone monadic SNP and constraint satisfaction: a study through Datalog and group theory.

- SIAM Journal on Computing*, 28:57–104, 1999. Preliminary version in Proc. 25th ACM Symp. on Theory of computing 1993.
- [14] J. Flum and M. Grohe. Fixed-parameter tractability, definability, and model checking. *SIAM Journal on Computing*, 31:113 – 145, 2001.
- [15] J. Flum and M. Grohe. *Parameterized Complexity Theory*. Springer-Verlag, 2006.
- [16] M. Frick and M. Grohe. Deciding first order properties of locally tree-decomposable structures. *Journal of the ACM*, 48:1184 – 1206, 2001.
- [17] H. Gaifman. On local and non-local properties. In J. Stern, editor, *Herbrand Symposium, Logic Colloquium '81*, pages 105 – 135. North Holland, 1982.
- [18] G. Gottlob and N. Leone and F. Scarcello. Robbers, marshals, and guards: Game theoretic and logical characterizations of hypertree width. *Journal of Computer and System Sciences*, 66:775–808, 2003.
- [19] G. Gottlob, N. Leone, and F. Scarcello. Hypertree decompositions and tractable queries. *J. Comput. Syst. Sci.*, 64(3):579 – 627, 2002.
- [20] G. Gottlob, Z. Miklos, and Th. Schwentick. Hard problems related to hypergraph decompositions. In *PODS'06*, 2006. Im Druck.
- [21] M. Grohe. Local tree-width, excluded minors, and approximation algorithms. *Combinatorica*, 23(4):613 – 632, 2003.
- [22] M. Grohe. The complexity of homomorphism and constraint satisfaction problems seen from the other side. *Journal of the ACM*, 54(1), 2007. Conference version in FOCS'03.
- [23] Ph. Kolaitis and M.Y. Vardi. Conjunctive query containment and constraint satisfaction. In *Proc. PODS 1998*, pages 205–213, 2007.
- [24] N. Robertson and P.D. Seymour. Graph minors XX. Wagner's conjecture. *Journal of Combinatorial Theory*, 92:325 – 357, 2004.
- [25] P.D. Seymour and R. Thomas. Graph searching and a min-max theorem for tree-width. *Journal of Combinatorial Theory, Series B*, 58:22–33, 1993.
- [26] Mihalis Yannakakis. Algorithms for acyclic database schemes. In *VLDB*, pages 82–94. IEEE Computer Society, 1981.