

INDEX

- AC, *See* Information preservation condition
- Active complement, *See* Boolean operation
- Active domain, *See* Domain
- Active satisfaction, *See* Satisfaction
- Acyclic database scheme, 452
 - and consistency, 469–471
 - and Graham reduction, 460–463
 - and MVDs, 473–475
 - and unique decomposition, 474–477
 - equivalence theorem, 460
 - testing, 455–457
- Acyclic hypergraph, *See* Hypergraph
- Add operation, *See* Update
- Additivity, *See* Inference axiom
- Adequate operator, *See* Generalized relational operator
- Adequate representation, *See* Representation
- adom*, *See* Domain
- Aggregate operator, 550
- Aho, A. V., 63, 70, 145, 194, 286, 370, 483, 549, 593
- Algebra, *See* Relational algebra
- Algebraic dependency, 548
- Algebraic expression, 34–36, 226–227
 - and conjunctive queries, 278
 - and tableau queries, 275, 323
 - and tableau set queries, 276–278
 - and tuple calculus, 308
 - as a mapping, 35–36
 - common subexpression, *See* Common subexpression
 - connection graph, *See* Connection graph
 - containment, *See* Containment
 - for transitive closure, 529
 - monotonic, 276–278
 - optimization, *See* Algebraic optimization
 - restricted, 262, 327, 344–346, 364, 537
 - scheme, *See* Scheme
 - simplification, *See* Simplification
 - tableau query for, 268–275
 - tree, *See* Expression tree
 - with computed relations, *See* Computed relation
- Algebraic identity, *See* Identity
- Algebraic optimization, 301–307, 440
 - pushing project, 303–304
 - pushing select, 302–303, 311
- Annular cover, *See* Cover
- Anomaly, 98
- ANSI/X3/SPARC report, 437, 593
- Antijoin, 551
- Approximation, of a relation, 398
- Arbitrary relation, *See* Relation
- Armstrong relation, *See* Relation
- Armstrong, W. W., 48, 70, 92, 145, 593
- Armstrong's axioms, *See* Inference axiom
- Arora, A. K., 200, 223, 593
- Articulation set, *See* Hypergraph
- Associativity, of generalized relational operators, 390, 392–394
 - of operations, 19, 297
- Astrahan, M. M., 370, 591, 593, 596, 607
- Atom, *See* Domain calculus formula, Tuple calculus formula
- Attribute, 2
 - avoidable, 115–117
 - class, 457

- closure, *See* Closure
- domain, *See* Domain
- equivalent sets, *See* Equivalence
- externally dependent, 112–113
- extraneous, 74–77
- multiple occurrences, 407
- nonprime, 99, 101
- prime, 99
- removable, 113
- renaming, *See* Renaming attributes
- representing a role, 407–408
- shiftable, 89
- tuple defined on, *See* Tuple
- weight in a graph, 458
- weight in a scheme, 457
- Attribute name, *See* Attribute
- Attribute symbol, *See* Attribute
- Atzeni, P., 437, 483, 593
- Augmentation, *See* Inference axiom
- AVOID, 116–117
- Avoidable attribute, *See* Attribute

- Bachman, C. W., 438, 594
- Banchilon, F., 549, 594
- Base relation, *See* Relation
- BCNF, *See* Normal form
- Beck, L. L., 41, 594
- Beeri, C., 70, 92, 122, 144–145, 194, 223, 483, 548–549, 593–595
- Bèkèssy, A., 70, 595
- Bernstein, P. A., 70, 92, 122, 370, 437–438, 482–484, 594–596, 598, 600, 606
- Biskup, J., 122, 145, 398, 437, 595–596
- Blank, *See* Tableau query
- Blasgen, M. W., 369, 591, 593, 596
- Blaustein, B. T., 438, 595
- Block, *See* Hypergraph
- Boolean operation, 11–13
 - active complement, 11–13
 - and select, 14–15
 - complement, 11–13
 - for partial relations, *See* Generalized relational operator
 - generalized, *See* Generalized relational operator
 - generalized intersection, 482
 - intersection, 11, 262, 276
 - set difference, 11
 - union, 11, 276
- Bottleneck, *See* Hypergraph
- Bound variable, *See* Domain variable, Tuple variable
- ⊗ *See* Join
- Boyce, R. F., 117–119, 122, 591, 596
- Boyce-Codd normal form, *See* Normal form
- Brodie, M. L., 438, 596

- Calculus, *See* Domain relational calculus, Tuple relational calculus
- Canonical cover, *See* Cover
- Cardenas, A. F., 10, 596
- Cardinality constraint, 549
- Carlson, C. R., 200, 223, 438, 593, 596
- Cartesian product, 17, 30
- Casanova, M. A., 549, 596
- Casey, R. G., 70, 122, 194, 547, 598
- CD, *See* Computed dependency
- Ceri, S., 370, 596
- CFD, *See* Compound functional dependency
- Chain, *See* Template dependency
- Chamberlin, D. D., 370, 591, 593, 596, 607
- Chandra, A. K., 145, 286, 549, 597
- Chang, P. Y.-T., 370, 607
- Change operation, *See* Update
- Characteristic set, 87
 - natural, 87
- Characterized FD, *See* Functional dependency
- Chase, 164–182, 217–220
 - computational properties, 186–188
 - corresponding row, *See* Row extension, 342–346
 - generating sequence, 166, 177–178, 514–515, 521–522
 - infinite, 511
 - limit, 515, 522
 - null value, 380–384, 419–422, 424–427
 - of a tagged tableau, 346–347

- on tableau queries, 336–339
- on tagged tableau queries, 340–341
- renaming variables, 518, 521
- stage, 514
- termination, 514, 521
- testing implication of dependencies, *See* Implication
- transformation rule, *See* Transformation rule
- under GFDs, 518–521
- under TDs, 494, 510–515
- under TDs and GFDs, 521–524
- Chase, K., 483, 597
- Chen, P. P.-S., 438, 597
- Childs, D. L., 24, 597
- Chiu, D.-M., 370, 482–484, 595
- Chord, *See* Graph
- Chordal, *See* Graph, Hypergraph
- Chordless path, *See* Hypergraph
- Church-Rosser property, *See* Finite Church-Rosser property
- Clarke, E. M., 438, 595
- CLASS, *See* Attribute
- Class, of an attribute, *See* Attribute satisfaction, *See* Satisfaction class
- Clause, Horn, *See* Horn clause of a formula, 529
- Clifford, J., 438, 597
- Clique, *See* Graph
- Close extension, *See* Extension
- Closed possibility function, *See* Possibility function
- Closed subhypergraph, *See* Hypergraph
- Closed world assumption, 388
- CLOSURE, 63–65
- Closure, of a set of attributes, 49–50, 179, 213–214, 423
 - of a set of FDs, 48–49
 - of satisfaction classes under projection, 524–527
 - testing membership, 62–68
 - transitive, *See* Transitive closure
 - under intersection, 183, 429
 - under restricted FDs, 213–214
- C-minimum tableau query, *See* Tableau query
- CNF, *See* Normal form
- Coalescence, *See* Inference axiom
- Codd, E. F., 10, 24, 41, 70, 117–119, 122, 286, 390–391, 437–438, 597–598
- Column, *See* Attribute
- Common subexpression, 295–301 and simplification, 299–301
- Commutativity, of generalized relational operators, 390 of operations, 14, 16, 302–303
- COMP, *See* Completion, Image, Tableau optimization
- Companion set, *See* Tableau optimization
- Comparator, 31, 229–230, 251
- Compatible query, *See* Tableau query, Tableau set query
- Compatible tuple, *See* Tuple
- Complement, *See* Boolean operation
- Complementation, *See* Inference axiom
- Complete database scheme, *See* Database scheme
- Complete intersection graph, *See* Intersection graph
- Complete program, *See* Semijoin
- Complete query system, *See* Query system
- Completely characterized FD, *See* Functional dependency
- Completeness, disputing definition, 527
 - of domain calculus, 255–257
 - of inference axioms, *See* Inference axioms
 - of tuple calculus, 242–244, 247–249
- Completion, of a partial relation, 374, 381–382
 - of a relation, 182–186
 - permissible, 377–379, 382–384
 - satisfying FDs, 377
- Completion point, *See* Semijoin
- Component, *See* Independent component condition
- Component-wise image, *See* Image
- Compound functional dependency, 87–90
 - characteristic set, *See* Characteristic set
 - cover, *See* Cover

- equivalence, *See* Equivalence
- left set, 87
- left side, 87
- reduced, 89
- right side, 87
- shiftable attribute, *See* Attribute
- Computed dependency, 536–537
- Computed relation, 533–542
 - decidable query, 537, 541–542
 - determining set, 536
 - in algebraic expressions, 536–542
 - kill symbol, 540
 - listable query, 537–541
 - marking algorithm, 537–540
- Conclusion, *See* Generalized
 - functional dependency
- Conclusion row, *See* Template
 - dependency
- Condition, *See* Dependency, Select
- Conflict-free MVD, *See* Multivalued
 - dependency
- Conformal hypergraph, *See*
 - Hypergraph
- Conjunct, 308
- Conjunctive normal form, *See* Normal
 - form
- Conjunctive query, 224, 278
 - and algebraic expressions, 278
 - containment, *See* Containment
 - equivalence, *See* Equivalence
 - folding, *See* Folding
 - minimum, 351
 - optimization, 350–353
- Connected component, *See*
 - Hypergraph
- Connection, *See* Window function
- Connection graph, 309–311
 - modification, 310–311, 314
 - simple edge, 319
- Connective, distributivity, 309
 - logical, 33, 233, 251, 350–361
 - precedence, 230, 251
 - quantifier, 233–234, 251
- Connors, T. T., 370, 598
- Consistency, and acyclic database
 - schemes, 469–471
 - and full reducers, 468–469
 - and increasing join property, 472
 - pairwise, 197, 444, 460
 - total, 197, 444, 460
- Constant, *See* Tableau query
- Constant relation, *See* Relation
- Constant tuple, *See* Tuple
- Constraint, *See* Dependency
- Constraint containment, 201
- Construction sequence, *See* Tableau
 - optimization
- Containment, constraint, 201
 - of algebraic expressions, 299–300
 - of conjunctive queries, 351
 - of fixed-points, 153–154, 209–210, 217
 - of project-join mappings, 153–154
 - of tableau queries, 323–325, 335–337
 - of tableau set queries, 348–350
 - of tableaux, 152–154, 158–162, 184, 209–210, 217–218
 - of tableaux under dependencies, 174–175
 - of tableau queries under dependencies, 336–337
 - on a set of relations, 160–161
 - under dependencies, 161, 217–218
- Containment condition, and updates, 411
 - for windows, 412, 414
 - on objects, 410
- Containment mapping, 328–331
 - for TDs, 495
 - of tableau queries, 323–325, 327–330, 333–334
 - of tableaux, 156–160
 - of tagged tableau queries, 350
 - of tagged tableaux, 345–347
 - one-to-one, 327, 333–335
- Conventions, 4, 495
- Cooper, E. C., 591, 598
- Correctness, *See* Inference axiom
- Corresponding row, *See* Row
- Counting function, *See* Multivalued
 - dependency
- Cover, annular, 88–90, 107, 109
 - canonical, 77–78
 - computing minimum cover, 84–86
 - for a set of FDs, 71–72

- CFDs, 87–90
 - for restricted FDs, 214
 - minimum, 79–86, 89, 109
 - nonredundant, 72–74, 88–90, 218–220
 - optimal, 86
 - reduced, 74–77, 89
 - reduced minimum, 86
 - structure, 78–84
- c_W , 126–127
- C-weak instance, *See* Weak instance
- C-WI, *See* Weak instance
- Cycle, *See* Hypergraph
- Cyclic database scheme, 452
 - transformation, 478
- Cyclic hypergraph, *See* Hypergraph

- DAG (directed acyclic graph), *See* Derivation DAG, Expression DAG
- Dash, *See* Placeholder
- Data dependency, *See* Dependency
- Data redundancy, *See* Redundancy
- Database, 93–96, *See also* Normal form
 - consistency of a state, *See* Consistency
 - containment condition, *See* Containment condition
 - distributed, 353–354, 439–441
 - full reduction relative to, *See* Full reduction
 - key constraint, *See* Modified foreign key constraint
 - obeying FDs, *See* Functional dependency
 - padding, *See* Database
 - pairwise consistent, *See* Consistency
 - partial information, *See* Partial information
 - projection of a common instance, 340, 344–345, 416, *See* Consistency
 - reduction, *See* Full reduction, Semijoin
 - representation, *See* Representation
 - satisfaction of FDs, *See* Satisfaction
 - scheme, *See* Database scheme
 - semantics, 406–408
 - tableau query against, *See* Tableau query
 - totally consistent, *See* Consistency
 - weak instance, *See* Weak instance
- Database design, 407
- Database scheme, 93–96
 - acyclic, *See* Acyclic database scheme
 - applicable FD, *See* Functional dependency
 - applicable JD, *See* Join dependency
 - applicable, MVD, *See* Multivalued dependency
 - applicable tableau query, *See* Tableau query
 - as a hypergraph, 448
 - as objects, *See* Object
 - avoidable attribute, *See* Attribute complete, 107
 - conditions on, *See* Representation covering another scheme, 152–154, 442
 - cyclic, *See* Cyclic database scheme
 - data-equivalence, *See* Data-equivalence
 - decomposition, *See* Decomposition
 - enforceable FD, *See* Functional dependency
 - enforceable MVD, *See* Multivalued dependency
 - equivalence, *See* Equivalence
 - extensional properties, 439–447
 - FDs characterized, *See* Functional dependency
 - FDs represented, *See* Functional dependency
 - FDs restricted to, *See* Functional dependency
 - fixed-points, *See* Fixed-points
 - Graham reduction, *See* Graham reduction
 - image, *See* Image
 - independence, *See* Independence
 - indirectly enforceable FD, *See* Functional dependency
 - intended, 220–221

- intensional properties, 447–455
- join mapping, *See* Join mapping
- modification, 430
- normal form, *See* Normal form
- normalization, *See* Decomposition
 - Synthesis
- preserved set, *See* Preserved set
- project mapping, *See* Project mapping
- properties, 439–455, *See also*
 - Representation
 - removable attribute, *See* Attribute
 - representation, *See* Representation
 - syntactic conditions, 447–455
 - synthesis, *See* Synthesis
 - tableau for, *See* Tableau
 - unenforceable FD, *See* Functional dependency
 - uniqueness condition, *See* Uniqueness condition
- weight, 457, 459
- Data-equivalence, 208–210
 - testing, 217–221
- Date, C. J., 10, 598
- Daya, M., 438, 594
- Dayal, U., 122, 596, 598
- DCLOSURE, 116–117
- DDAG, *See* Derivation DAG
- DDERIVES, 85
- De Morgan's Laws, 309
- DeBra, P., 370, 605
- Decidability, *See* Implication
- Decidable query, *See* Computed relation
- Decompose losslessly, *See* Decomposition
- Decomposition, 101–106, 135–137, 443
 - and acyclic database schemes, 474–477
 - for normalization, 101–104
 - 4NF, 443–444
 - horizontal, 359
 - information preserving, 201
 - into independent components, 199
 - lossless, 21, 101–104, 113–115, 126, 139, 147, 443, *See also* Join
 - of queries, *See* Query decomposition
 - shortcomings, 104–106
 - tight, 443–444, 473–474
 - tree, *See* Decomposition tree
 - two-way, 443
 - under MVDs, 444
 - unique, 443–444, 460, 476–477
- Decomposition tree, 476–477
 - interior node, 476
- Definiteness, *See* Tuple
- Delete operation, *See* Update
- Delobel, C., 70, 122, 144–145, 194, 547, 549, 593, 598, 606–607
- δ , *See* Renaming
- Demers, A., 194, 603
- Demetrovics, J., 70, 595
- DEP, *See* Multivalued dependency
- Dependency, *See* Existence
 - constraint,
 - Modified foreign key constraint
 - computed, *See* Computed dependency
 - containment under, *See* Containment
 - enforcing, 288
 - equivalence under, *See* Equivalence
 - functional, *See* Functional dependency
 - generalized functional, *See* Generalized functional dependency
 - global satisfaction, *See* Satisfaction
 - join, *See* Join dependency
 - multivalued, *See* Multivalued dependency
 - projected constraints, 210–211, 493–494, 524–527
 - template, *See* Template dependency
- Dependency basis, *See* Multivalued dependency
- Dependent FD, *See* Functional dependency
- Derivation, from a set of FDs, 51–62
- Derivation DAG, 56–62, 423–424
 - for an FD, 56
 - initial node, 56
 - splicing, 61
 - use set, 56–57
- Derivation rule, *See* Inference axiom
- Derivation sequence, 51–55, 58
 - RAP, 53–55
 - use set, 52

- Derivation tree, 70
- Derive, 49
- DERIVES, 72, 88
- Designated key, *See* Key
- Determination, direct, *See* Direct determination
- Determining set, *See* Computed relation
- Difference, *See* Boolean operation
- Direct determination, 79–82
- Direct image, *See* Image
- Disjunctive normal form, *See* Normal form
- Distinguished variable, *See* Tableau, Tableau query
- Distributivity, of connectives, *See* Connective
 - of operations, 14–15, 22, 302–303
- Divide, 25–26
- DNF, *See* Normal form
- dom*, *See* Domain
- Domain, 2
 - active, 11
 - extended active, 245, 254
 - finite, 384, 542
 - infinite, 49, 542
 - non-numeric, 235
 - of a relation scheme, 11, 236, 245
 - of an attribute, 2, 11, 245, 254, 258
 - ordered, 31
 - quotng values, 235
 - special values, 371–372
- Domain calculus expression, 253–255, 278, 528
 - evaluation, 253–255
 - limited evaluation, 257, 261
 - safe, 254–255, 257, 278, 550
 - unlimited evaluation, 253–255, 257
 - value, 253
- Domain calculus formula, 251–253
 - atom, 251
 - connective, *See* Connective
 - substitution for variables, 252
 - truth, 253–255
- Domain relational calculus, 224, 250–261, 550
 - completeness, *See* Completeness
 - domain variable, *See* Domain variable
 - expression, *See* Domain calculus expression
 - reduction from tuple calculus, 255–257
 - reduction to relational algebra, 257–261
- Domain variable, 250
 - bound occurrence, 251–252
 - free occurrence, 251–252
 - substitution, 252
 - type, 251–252
- Dowd, M., 70, 594
- Downey, P. J., 194, 598
- EC, *See* Existence constraint
- echase*, *See* Chase
- Edge, *See* Hypergraph
- Edge removal, *See* Graham reduction
- edom*, *See* Domain
- E_F*, *See* Equivalence classes of FDs
- EID, *See* Embedded implicational dependency
- EJD, *See* Join dependency
- Elimination requirement, *See* Fragmentation scheme
- Embedded FD, *See* Functional dependency
- Embedded implicational dependency, 548
- Embedded JD, *See* Join dependency
- Embedded MVD, *See* Multivalued dependency
- Embodied FD, *See* Functional dependency
- Empty relation, *See* Relation
- EMVD, *See* Multivalued dependency
- Enforceable FD, *See* Functional dependency
- Enforceable MVD, *See* Multivalued dependency
- Entity class, 407
- Epstein, R., 370, 598
- Equality generating dependency, 548–549
- Equijoin, *See* Join
- EQUIV, 72, 88
- Equivalence, data, *See* Data-equivalence

- database scheme, 152–155
- of a JD to MVDs, 442–443, 460
- of algebraic expressions, 242–244
- of CFDs, 87
- of conditions on database schemes, 455–478
- of conjunctive queries, 351–353
- of database schemes, 208, 210–221
- of FDs to GFDs, 517
- of fixed-points, 217
- of JDs to TDs, 497
- of logical implication and dependency implication, 487–492
- of minimum simple queries, 328, 333–335
- of partial relations, 373–374, 387
- of queries, 225–226, 242–244
- of query systems, 225–227
- of relational algebra and calculus, 242–244, 247–249, 255–261, 308
- of relational algebra and tableau queries, 268–275
- of relational expressions, 225–226
- of sets of attributes, 78–79
- of sets of FDs, 71–72
- of simple tableau queries, 327–335
- of tableau, 210
- of tableau queries, 323–328, 331, 333–339
- of tableau queries under dependencies, 335–347
- of tableau set queries, 348–350
- of tableau, 152–156, 160–162, 208
- of tableau under dependencies, 174–175
- of TDs, 497
- on a set of relations, 160–161
- test for, 72
- testing, 210–221
- under dependencies, 161, 210–221
- Equivalence classes of FDs, 78–84, 108
- Eswaran, K. P., 369, 593, 596
- Evaluation, of a query, *See* Domain calculus expression, Join, Query decomposition, Tableau query, Tuple calculus expression
- of a tableau query, *See* Tableau query
- of an expression, *See* Domain calculus expression, Tuple calculus expression
- Evaluation strategy, *See* Query decomposition
- EX, *See* Join tree
- Existence constraint, 372, 384–386
- Existential quantifier, *See* Connective
- Expression, *See* Algebraic expression, Domain calculus expression, Tuple calculus expression
- Expression DAG, 296–297
- Expression tableau query, *See* Tableau query
- Expression tree, 296
- Expressive power, *See* Query system
- Extended active domain, *See* Domain
- Extended scheme, *See* Join tree
- Extension, *See* Database, Relation
- Extension, close, 387–388, 396
 - minimal, 387–388, 398
 - of a relation, 373, 388, 397
 - of a tuple, 373
- Extension chase, *See* Chase
- Extension join, 341–346
 - computing with the chase, 342–346
 - extension of a relation, 341
- R_F -extension, 341
- Extensional property, *See* Database scheme
- Exterior, *See* Functional dependency
- Externally dependent attribute, *See* Attribute
- Extraneous attribute, *See* Attribute
- Factor, 38–39
- Fadous, R., 70, 599
- Fagin, R., 41, 122, 141, 144–145, 483–484, 547–549, 594, 599, 607
- Faithful operator, *See* Generalized relational operator
- Faithfulness condition, 413, 421, 427
 - for objects, 430
 - strong, 428–432
- FCR, *See* Finite Church-Rosser property
- FD, *See* Functional dependency
- Fill-in rule, *See* Null value
- Finite Church-Rosser property, 168–174

- Finite domain, *See* Domain
- Finite implication, *See* Implication
- Finite replacement system, *See* Replacement system
- First normal form, *See* Normal form, first
- Fischer, P. C., 122, 145, 599, 609
- FLX*, *See* Fixed-point
- Fixed-point, of a project-join mapping, 147-148, 203, 206-211, 217, 220-221
 - under a database scheme, 208
- Fixed-point containment, *See* Containment
- Fixed-point equivalence, *See* Equivalence
- Fixed-point operator, 533
- Folding, 350-353
 - inverse, 352
- Foreign key constraint, *See* Modified foreign key constraint
- Formula, *See* Domain calculus formula, Tuple calculus formula
- Forsyth, J., 70, 599
- 4NF, *See* Normal form
- Fourth normal form, *See* Normal form
- Fox, S., 606
- FR*, *See* Full Reduction
- Fragment, 359-361
 - scheme, *See* Fragmentation scheme
- Fragmentation scheme, 359-361
 - elimination requirement, 360-361
 - valid, 359
- Frankl, P., 595
- Free variable, *See* Domain variable, Tuple variable
- F-rule, *See* Transformation rule
- Full dependency, *See* Functional dependency
- Full FD, *See* Functional dependency
- Full JD, *See* Join dependency
- Full reducer, 357-359, 439-442, 460
 - and consistency, 468-469
 - and join trees, 464-468
- Full reduction, 356-359, 441, 445
- Full TD, *See* Template dependency
- Functional dependency, 42-44
 - and logic, 485-492
 - and MVDs, 127-129, 132-133
 - and nulls, *See* Null value
- annular cover, *See* Cover
- application to a tableau, *See* Transformation rule
- applying to a scheme, 95
- as propositional formula, 485
- avoidable attribute, *See* Attribute
- canonical cover, *See* Cover
- closure of a set, *See* Closure
- closure of a set of attributes, *See* Closure
- completely characterized, 94, 107, 176-177
- compound, *See* Compound functional dependency
- cover, *See* Cover
- database obeying, 95
- DDAG, *See* Derivation DAG
- dependent, 99
- direct determination, *See* Direct determination
- embedded, 218
- embodied, 94
- enforceable, 95, 137-138, 212-213, 218
- equivalence classes, *See* Equivalence classes
- equivalent sets, *See* Equivalence
- equivalent sets of attributes, *See* Equivalence
- exterior of a set, 49
- external dependency, *See* Attribute
- extraneous attribute, 74-77
- full, 74
- fully dependent, 99
- generalized, *See* Generalized functional dependency
- hard violation, *See* Violation
- hidden transitive dependency, 106
- implication, *See* Implication
- indirectly enforceable, 121
- intended database scheme, *See* Database scheme
- key, *See* Key
- left side, 43
- left-reduced, 74
- minimum cover, *See* Cover
- nonredundant cover, *See* Cover
- optimal cover, *See* Cover

- over a scheme, *See* Database scheme, Relation scheme
- partial dependency, 105–106
- partially dependent, 99
- projected, 211–217
- reduced, 74
- removable attribute, *See* Attribute
- representation by a GFD, 517
- represented by a scheme, 94
- restricted to a database scheme, 212–217
- right-reduced, 74
- satisfaction, *See* Satisfaction
- soft violation, *See* Violation
- test for redundancy, 73
- testing satisfaction, *See* Satisfaction
- transformation rule, *See* Transformation rule
- transitive dependency, 101–106
- transitively dependent, 100
- trivial, 49, 179
- unenforceable, 95
- violation, *See* Violation
- Functionally determines, 43
- Galil, Z., 144, 599
- Gallaire, H., 286, 599
- γ , *See* Generalized functional dependency
- Garey, M. R., 92, 599
- Generalized dependency, 548
- Generalized functional dependency, 516–518
 - application to a tableau, *See* Transformation rule
 - closure under projection, *See* Closure
 - conclusion, 516
 - convention for writing, 517
 - hypothesis rows, 516
 - inference axiom, *See* Inference axiom
 - representing an FD, 517
 - restriction, 526
 - satisfaction, *See* Satisfaction
 - trivial, 516, 522
 - typed, 516
- Generalized intersection, *See* Boolean operation
- Generalized relational operator, 386–406
 - adequate, 390
 - associativity, *See* Associativity
 - definite equijoin, 391
 - faithful, 389
 - for Biskup's possibility function, 401–406
 - for closed possibility functions, 396–398
 - for open possibility function, 394–396
 - for partitioned relations, 401–406
 - join, 392–398, 403–406
 - maybe equijoin, 390–392
 - precise, 389
 - project, 395–398, 401
 - restricted, 390
 - select, 395–398, 401–403
 - union, 395–398, 403
- Generating sequence, *See* Chase
- Gewirtz, W. L., 438, 599
- GFD, *See* Generalized functional dependency
- Ginsburg, S., 223, 549, 599–600
- Goldstein, B. S., 437–438, 600
- Goodman, N., 122, 370, 437, 483–484, 594–595, 600, 606
- Gotlieb, L. R., 369, 600
- Graham, M. H., 194, 223, 438, 456, 483, 600
- Graham reduction, 456–457, 460
 - and acyclic database schemes, 460–463
 - and join trees, 464
 - edge removal, 456
 - node removal, 456
 - preserving blocks, 460–461
 - success, 457
- Grant, J. J., 437, 548, 601
- Graph, *See* Connection graph, Hypergraph, Intersection graph, Join graph
 - chord, 481
 - chordal, 481
 - clique, 481
 - for a hypergraph, *See* Hypergraph
 - of a relation, 500–502
 - of a TD, 500–502

- Gray, N. J., 593, 596
 Griffiths, P. P., 593, 596, *See also*
 Selinger, P. G.
 G-rule, *See* Transformation rule
- h. See* Label-preserving homomorphism
 Hagihara, K., 144, 601
 Hall, P. A. V., 41, 369, 482, 549, 601
 Hammer, M., 438, 601, 606
 Hannak, L., 595
 Hard violation, *See* Violation
 Harel, D., 549, 597
 H_E , *See* Connection graph
 Heath, I. J., 122, 601
 Held, G., 608
 Heuristics, for evaluation, *See* Query
 decomposition
 Hidden transitive dependency, *See*
 Functional dependency
 Hitchcock, P., 41, 482, 549, 601
 Ho, Y.-C., 483, 597
 Homomorphism, *See* Label-preserving
 homomorphism
 Honeyman, P., 223, 370, 437-438,
 483, 594, 601
 Hopcroft, J. E., 63, 70, 483, 593
 Horizontal decomposition, *See*
 Decomposition
 Horn clause, 548
 Housel, B. C., 438, 601
 Howard, J. H., 144, 594
 Hull, R., 223, 549, 599, 601
 HV, *See* Violation
 Hyperedge, *See* Hypergraph
 Hypergraph, 309, 447-452
 acyclic, 451-452, 462-463
 articulation set, 451, 462-463,
 473-474
 block, 451
 bottleneck, 469
 chordal, 481
 chordless path, 481
 closed subhypergraph, 452
 closed-acyclic, 452
 closed-cyclic, 452
 conformal, 481
 connected, 462-463
 connected component, 449
 connected edges or nodes, 449
 cycle, 481
 cyclic, 451-452
 edge, 309, 447-448
 for a database scheme, 448
 Graham reduction, *See* Graham
 reduction
 graph for, 481
 hyperedge, 448
 induced, 450
 knob, 462
 node, 309, 447-448
 path, 448
 reduced, 448
 reduction, 448
 solitary node, 463
 split by articulation set, 462
 subhypergraph, 450, 462-463
 trivial, 451
 Hypothesis row, *See* Template
 dependency
 Hypothesis rows, *See* Generalized
 functional dependency
- I. See* Interpretation
 IC, *See* Independent component
 condition
 Idempotence, *See* Project-join, mapping
 Identity, algebraic, 295
 Image, 197
 component-wise, 198
 direct, 197
 Implication, by FDs, 517-518, 543
 by FDs and MVDs, 215-216
 by GFDs, 517-518
 by JDs, 179, 215-216
 by partial TDs, 499-500
 by TDs, 522
 counterexample, 494
 decidability, 494, 506-509, 549
 finite, 145, 494, 506-509, 549
 for arbitrary relations, 520, 522
 in the world of two-tuple relations,
 486-493
 infinite, 145, 494, 506-509,
 520, 549
 logical, 486
 of a JD by its MVDs, 443
 of arbitrary dependencies, 148
 of EJDs, 142, 188-189

- of EMVDs, 492–493, 548
- of FDs, 44–68, 132–133, 177–179, 186, 215–216
- of FDs in the world of two-tuple relations, 486–487
- of GFDs, 517–518, 520–521
- of JDs, 175–177, 186, 442–443, 492–493, 548
- of MVDs, 127–135, 186, 215–216, 543
- of MVDs by JDs, 443
- of MVDs in the world of two-tuple relations, 489–492
- of selection conditions, 359–361
- of TDs, 504, 506–515, 517–518
- of values for nulls, 379–384
- on arbitrary relations, 506, 515
- under restricted FDs, 213–216
- Implication rules, *See* Inference axiom
- Implicational dependency, *See* Embedded implicational dependency
- Implicit key, *See* Key
- Implicit object, *See* Object
- Imcomparable relation, *See* Partial relation
- Increasing join property, 447, 460
 - and consistency, 472
 - and running intersection property, 471–472
- Independence, *See* Inference axiom, Uniqueness condition
 - of database schemes, 422–427
- Independent component condition, 199–204, 206–207, 211–212
- Indirectly enforceable FD, *See* Functional dependency
- Induced hypergraph, *See* Hypergraph
- Inference, from finite domains, 384
- Inference axiom, additivity, 46, 129
 - Armstrong's, 48
 - augmentation, 46, 129, 509
 - coalescence, 132
 - complementation, 129, 138
 - completeness, 49–51, 133–135, 494
 - correctness, 45–47, 130–132
 - for ECs, 385
 - for EJDs, 142
 - for EMVDs, 493–494, 548
 - for FDs, 44–47
 - for FDs, and MVDs, 127–129, 132–133
 - for GFDs, 517–518
 - for JDs, 493–494, 548
 - for MVDs, 129–135
 - for TDs, 494, 504, 506, 509–510, 545
 - independence, 48
 - projectivity, 46, 129
 - pseudotransitivity, 129
 - reflexivity, 45, 129
 - replication, 132
 - transitivity, 47, 129, 486
 - weakening, 509–510
- Infinite implication, *See* Implication
- Infinite relation, *See* Relation
- Information preservation condition, 201–205, 207, 211–212
- Information System Base Language, *See* ISBL
- INGRES, 288, 307, 550, 556, 591
- QUEL, *See* QUEL
 - query decomposition, *See* Query decomposition
- Inhomogeneous tuples, *See* Tuple
- Initial node, *See* Derivation DAG
- Instance, 195
 - image of a set, *See* Image projection, 340, 344
 - universal, *See* Universal instance
 - weak, *See* Weak instance
- Instantiation, *See* Query decomposition
 - of a join plan, *See* Join plan
- INT, *See* Decomposition tree
- Integrity constraint, *See* Dependency
- Intended database scheme, *See* Database scheme
- Intension, *See* Scheme
- Intensional property, *See* Database scheme
- Interactive Graphics and Retrieval System, *See* INGRES
- Interior node, *See* Decomposition tree
- Interpretation, limited, 244–247, 249, 254–255
 - of a domain calculus formula, 253–254

- of a tuple calculus formula, 238–239, 244–247
- unlimited, 238, 244–245, 249, 253
- with nulls, 375–377
- Intersection, *See* Boolean operation
- Intersection graph, 452–455, 460
 - A-path, 453
 - join graph, *See* Join graph
 - weight, 458–459
 - weight of an edge, 459
- Intersection property, *See* Running intersection property
- I_R , *See* Intersection graph
- Irreducible object, *See* Replacement system
- ISBL, 549–556, 591
 - assignment, 552
 - associativity, 552
 - computations on values, 554
 - computed relation, 554–556
 - delayed evaluation, 554
 - list statement, 552–554
 - operators, 551–552
 - virtual relation, 554
- Iteration, *See* Query decomposition
- Ito, M., 144, 601
- J1, J2, *See* Join condition
- Jacobs, B. E., 286, 548, 601–602
- Janssens, D., 548, 605
- JD, *See* Join dependency
- Johnson, D. S., 92, 599
- Join, 16–22, 262, 276
 - and project, 22
 - dependency, *See* Join dependency
 - equijoin, 29–31, 390–392
 - evaluation, 290–293, *See also* Semijoin
 - extension, *See* Extension join
 - for partial relations, *See* Generalized relational operator
 - generalized, *See* Generalized relational operator
 - graph, *See* Join graph
 - increasing, *See* Increasing join property
 - lossless, 114, *See also* Lossless join property
 - plan, *See* Join plan
 - project-join mapping, *See* Project-join mapping
 - properties, 18–22
 - semijoin, *See* Semijoin
 - simplification, *See* Simplification
 - small intermediate, 445–447
 - theta-join, 33–34
- Join completely, 20, 444–447
- Join condition, 203–207, 211–212, 216–217
 - testing, 214
- Join dependency, 139–142
 - and logic, 492–493
 - application to a tableau, *See* Transformation rule
 - applying to a scheme, 141
 - embedded, 142
 - full, 220
 - implication, *See* Implication
 - representation as a TD, 497
 - satisfaction, *See* Satisfaction
 - transformation rule, *See* Transformation rule
 - trivial, 141
- Join graph, 453–455
 - tree, *See* Join tree
- Join mapping, 196–197
- Join plan, 446–447, *See also* Increasing join property, instantiation, 446
- monotone, 446–447
- Join tree, 453, 460
 - and full reducers, 464–468
 - and Graham reduction, 464
 - and MVDs, 472–473
 - and running intersection property, 471
 - extended scheme, 467
 - finding, 457–460
 - subtree, 467
- Joinable tuples, 19–20
- Jou, J. H., 92, 122, 145, 599, 602
- J-rule, *See* Transformation rule
- Kambayashi, Y., 145, 370, 438, 548, 602–603, 608
- Kameda, T., 117, 122, 603

- Kanellakis, P. C., 194, 602
 Kaplan, R. S., 438, 596
 κ , 540
 Kasami, T., 601
 Katona, Gy., 595
 Katsuno, H., 145, 483, 602
 Kent, W., 122, 437–438, 602
 Key, 4–5, 93
 conflict-free, 482
 constraint, *See* Modified foreign key constraint
 designated, 4, 93, 99, 104, 115–117
 for MVDs, 482
 implicit, 4
 number in a relation, 105
 primary, 4
 superkey, 5, 99, 104
 universal, 114–115, 176–177
 Kill, *See* Computed relation
 Kim, W., 369–370, 591, 602
 King, W. F., 593, 596
 Klug, A., 286, 370, 602–603
 Knob, *See* Hypergraph
 Korth, H. F., 438, 591, 603
 Kreps, P., 608

 Label-preserving homomorphism, 503–504
 extension, 503
 LaCroix, M., 392, 437, 603
 Ladner, R. E., 437, 483, 601
 λ , 3
 Landers, T. A., 606
 Laver, K., 484
 LeDoux, C. H., 122, 603
 Left set, *See* Compound functional dependency
 Left side, *See* Compound functional dependency, Functional dependency
 LEFTRED, 75–76, 90
 Left-reduced, FD, *See* Functional dependency
 Legal formula, *See* Domain calculus formula, Tuple calculus formula
 Levels of information, *See* Query modification
 LeViet, C., 438, 603
 Lewis, E. A., 92, 603

 Lewis, H. R., 145, 549, 597
 Lien, Y. E., 145, 437, 483, 603
 Limit, *See* Chase
 Limited evaluation, *See* Domain calculus expression, Tuple calculus expression
 Limited interpretation, *See* Interpretation
 LINCLOSURE, 65–68, 88
 Lindsay, B. G., 593, 596
 Linear-time closure test, 65–68
 Ling, T.-W., 117, 122, 603
 Lipski, W., 437, 549
 Listable query, *See* Computed relation
 Literal, of a formula, 529
 Liu, L., 194, 603
 LJ, *See* Lossless join property
 Lochovsky, F. H., 10, 608
 Logic, inequivalence to EMVDs and JDs, 492–493
 propositional, 485–493
 Logical connective, *See* Connective
 Lorie, R., 593, 596, 607
 Lossless decomposition, *See* Decomposition
 Decomposition
 Lossless join, *See* Join
 Lossless join property, 202, 206–207
 Lozinskii, E. L., 370, 603
 Lp-homomorphism, *See* Label-preserving homomorphism
 LTK normal form, *See* Normal form
 Lucchesi, C. L., 70, 92, 122, 604

 Maier, D., 70, 92, 194, 223, 370, 437–438, 483–484, 547–549, 591, 594, 599, 604
 Makowsky, J. A., 145, 549, 597
 Mapping, *See* Containment mapping, Folding, Join mapping, Project mapping, Project-join mapping, Tableau
 Marek, W., 549, 603
 MARK, 537–540
 Marked null, *See* Null value
match, *See* Tableau query
 Matched symbol, *See* Tableau query
 Maximal reducer, *See* Semijoin
 Maximal scheme, *See* Relation scheme

- Maximum-weight spanning tree, *See* Spanning tree
- MAYBE*, *See* Partitioned relation
- Maybe equijoin, *See* Generalized relational operator
- Maybe tuple, *See* Partitioned relation
- McJones, P. R., 593
- McLeod, D., 438, 601
- mdsb*, *See* Set basis
- Mehl, J. W., 593, 596
- Melkanoff, M. A., 145, 610
- MEMBER, 65, 71
- Membership test, *See* Closure
- men*, *See* Tuple variable
- Mendelzon, A. O., 144, 194, 223, 438, 483-484, 548, 594, 599, 604
- Mention set, *See* Tuple variable
- Merlin, P. M., 286, 370, 597
- Method of evaluation, *See* Query
- MFKC, *See* Modified foreign key constraint
- MINEQ, 331-335
- Minimal disjoint set basis, *See* Set basis
- Minimal extension, *See* Extension
- Minimal object, *See* Object
- MINIMIZE, 85-86
- Minimum conjunctive query, *See* Conjunctive query
- Minimum cover, *See* Cover
- Minimum equivalent tableau query
See Tableau query
- Minimum tableau query, *See* Tableau query
- Minimum tableau set query, *See* Tableau set query
- Minker, J., 286, 370, 599, 604-605
- Modification, *See* Query modification
- Modified foreign key constraint, 421-422
- Modify operation, *See* Update
- Monotone join plan, *See* Join plan
- Monotonic expression, *See* Algebraic expression
- Monotonicity, *See* Project-join mapping
- m_R*, *See* Project-join mapping
- Multirelation tableau query, *See* Tableau query
- Multivalued dependency, 124-137
and acyclic database schemes, 473-475
and FDs, 127-129, 132-133
and join tree, 472-473
and logic, 485, 489-492
applying to a scheme, 136
as propositional formula, 489
conflict-free, 482
counting function, 126-127
decomposition under, *See* Decomposition
dependency basis, 134-135, 180-182, 481
embedded, 142, 476
embedded MVDs and logic, 492-493
enforceable, 137-138
implication, *See* Implication
inference axiom, *See* Inference axiom
key, *See* Key
projected, 215-217
properties, 126-127
satisfaction, *See* Satisfaction
testing satisfaction, *See* Satisfaction
trivial, 125, 135
- Mutual dependency, 548
- MVD, *See* Multivalued dependency
- Namibar, K. K., 145, 483, 605
- Natural characteristic set, *See* Characteristic set
- Natural join, *See* Join
- nchase*, *See* Chase
- Nicolas, J.-M., 548, 599, 605
- Nijssen, G. M., 438, 605
- Node, *See* Hypergraph
- Node removal, *See* Graham reduction
- Nondistinguished variable, *See* Tableau, Tableau query
- Nonprime attribute, *See* Attribute
- NONREDUN, 73-74
- Nonredundant cover, *See* Cover
- Nonredundant tableau set query, *See* Tableau set query
- Normal form, 96-101
Boyce-Codd, 117-119, 138, 347, 424
conjunctive, 308-309

- disjunctive, 531
- first, 96–97
- fourth, 135–138, 215–217, 443–444
- LTK, 117
- project-join, 140–142
- second, 99, 101
- third, 99–104, 107–108
- through decomposition, *See* Decomposition
- through synthesis, *See* Synthesis
- tight fourth, 444
- Normalization, *See* Synthesis
- NP-completeness, 86, 92, 105, 119, 122, 186, 194, 197, 214, 323, 327, 353, 370, 421, 478, 483
- n*-tuple, *See* Tuple
- Null substitution principle, 375–377
- Null value, 372–386
 - and FDs, 377–384
 - and relational operators, *See* Generalized relational operator
 - constraint, *See* Existence constraint
 - fill-in rule, 378–381
 - in tuple calculus formulas, 375–377
 - marked, 372, 379–381, 419
 - placeholder, *See* Placeholder
 - substitution, *See* Null substitution principle
- O, *See* Order notation
- O, *See* Object
- Object, 409–410, 412–413
 - as a database scheme, 409
 - closure under intersection, 429–432
 - containment condition, *See* Containment condition
 - implicit, 413
 - minimal, 435
 - satisfaction, *See* Satisfaction
- Object-faithfulness, *See* Faithfulness condition
- 1NF, *See* Normal form
- Open possibility function, *See* Possibility function
- Optimal cover, *See* Cover
- Optimization, *See* Algebraic optimization, Query modification, Tableau optimization, Conjunctive query
- Order dependency, 549
- Order notation, 63
- Order of evaluation, *See* Query
- Ordered domain, *See* Domain
- Original variable, *See* Tableau
- Osborn, S. L., 70, 92, 122, 370, 438, 604
- Ozsoyoglu, M. Z., 456, 483, 609
- P, *See* Join plan
- PAD, *See* Padding
- Padding
 - a database, 419
 - a relation, 419
 - a tuple, 393, 408
- Pairwise consistency, *See* Consistency
- Palermo, F. P., 369, 605
- Paolini, P., 605
- Papadimitriou, C. H., 548, 609
- Paredaens, J., 92, 370, 548–549, 605
- Parker, D. S., 122, 145, 437, 483, 547–549, 593, 603, 606–607
- Parsaye-Ghomi, K., 145, 548, 606
- Partial dependency, *See* Functional dependency
- Partial information, 197, 371–372
- Partial relation, 373–406
 - and relational algebra, *See* Generalized relational operator
 - approximation, *See* Approximation
 - as axioms, 374, 381–382, 388
 - equally strong, *See* Possibility function
 - equivalence, *See* Equivalence
 - generalizing relational operators, *See* Generalized relational operator
 - incomparable, 389
 - partitioned, *See* Partitioned relation
 - permissible, 377–379, 383–384
 - strength, *See* Possibility function
 - total relations represented, *See* Possibility function
- Partial TD, *See* Template dependency
- Partial tuple, *See* Tuple
- Partitioned relation, 398–406
 - approximation, *See* Approximation
 - compatible tuple, *See* Tuple
 - maybe tuple, 398

- redundant tuple, 400
- sure tuple, 398
- Path, *See* Hypergraph, Intersection graph
- PC, *See* Consistency
- PCLOSURE, 213-214
- Pecherer, R. M., 369, 606
- Pelagatti, G., 370, 596, 605
- Permissible completion, *See* Completion
- Permissible partial relation, *See* Partial relation
- Peterlee Relational Test Vehicle, *See* PRTV
- π , *See* Project
- Pichat, E., 122, 606
- Pie-In-The-Sky database system, *See* PITS
- Pinkert, J. R., 370, 607
- PIQUE, 415, 550, 583-591
 - compound condition, 587-589
 - logical connective, 587-589
 - mention set, 585
 - name drop, 589-590
 - retrieve statement, 585-586
 - selection condition, 585-586
 - simple condition, 587
 - *, 585-586, 588
 - subquery, 590-591
 - window function, 583-585
- Pirotte, A., 392, 437, 591, 603, 606
- PITS, 550, 583
 - PIQUE, *See* PIQUE
- PITS, Query Language, *See* PIQUE
- PJNF, *See* Normal form
- Placeholder, 408-410
 - and consistency, 409-410
 - constraint, *See* Object
- POSS, *See* Possibility function
- Possibility function, 372, 386-406
 - Biskup's, 398-406
 - close extension, 396-397
 - closed, 388, 396-398
 - minimal extension, 398
 - open, 388, 394-396
 - reasonable, 388
 - strength relationship, 387, 389, 399, 401
- PR, *See* Preservation condition
- Precise operator, *See* Generalized relational operator
- PRES, *See* Preserved set
- Preservation condition, 205-206, *See also* Information preservation condition
- Preserved set, 208-210
- Price, R., 370, 603
- Price, T. G., 593, 596, 607
- Primary key, *See* Key
- Prime attribute, *See* Attribute
- Program, for an algebraic expression, *See* Query decomposition
- Project, 15-16, 262, 276, *See also* Restrict
 - and join, 22
 - and select, 16
 - duplicate elimination, 550
 - for partial relations, *See* Generalized relational operator
 - generalized, *See* Generalized relational operator
 - project-join mapping, *See* Project-join mapping
 - pushing, *See* Algebraic optimization
 - simplication, *See* Simplification
 - total, 419-420
- Project mapping, 195-196
- Projected constraints, *See* Dependency
- Projectivity, *See* Inference axiom
- Project-join mapping, 21-22, 146-148, 205-206, 208-209
 - containment, *See* Containment
 - equivalence, *See* Equivalence
 - fixed-point, *See* Fixed-point
 - idempotence, 147
 - monotonicity, 147
 - representation with tableaux, 151-155
- Project-join normal form, *See* Normal form
- Property S, 207
- Propositional logic, *See* Logic
- PRTV, 550-551, 591
- PRTV, ISBL, *See* ISBL
- Pseudotransitivity, *See* Inference axiom
- ψ , *See* Containment mapping, Folding
- Ψ_r , *See* Truth assignment

- Pushing operations, *See* Algebraic optimization
- Putzolu, F., 593, 596
- QBE, 533, 549–550, 568–583, 591
 - aggregate operator, 577–578
 - arithmetic expressions, 576–577
 - condition box, 575–576
 - constant, 569
 - duplicate elimination, 570, 578
 - grouping in aggregate operators, 578–579
 - last level, 582–583
 - level operator, 580–583
 - maximum level, 582
 - multiple rows, 571–572
 - multiple skeletons, 574
 - naming columns in output, 578
 - negation of a row, 572–573
 - omission of variables, 569–570
 - ordering output, 576
 - print operator, 569, 572
 - quantification of variables, 569
 - result skeleton, 574–575
 - selection condition, 570–573
 - set of values, 577
 - skeleton, 568
 - substring matching, 573
 - transitive closure, 579–583
 - union, 571–572
 - variable, 569
- Quantifier, *See* Connective
- QUEL, 307, 318, 370, 550, 556–561, 591
 - aggregate operator, 559
 - arithmetic expressions, 558
 - assignment, 558
 - duplicate elimination, 559
 - grouping in aggregate operators, 560–561
 - qualification in aggregate operators, 559–561
 - range statement, 556
 - renaming attributes, 557
 - retrieve statement, 556
 - selection condition, 556–558
 - target list, 556
- Query, 224
 - equivalence, *See* Equivalence
 - evaluation, *See* Query decomposition
 - method of evaluation, 291–293
 - modification, *See* Query modification
 - optimization, *See* Query modification
 - order of evaluation, 291
 - simplification, *See* Simplification
- Query decomposition, 307–322
 - algorithm, 315–322
 - heuristics, 319–320
 - instantiation, 310–313
 - iteration, 310, 313–314
 - multiple-relation instantiation, 318
 - simple edge, *See* Connection graph
 - tuple substitution, 313
- Query language 224, *See also* ISBL, PIQUE, QBE, QUEL, SQL
 - practical considerations, 550
- Query modification, 287–293
 - common subexpression, *See* Common subexpression
 - conjunctive query, *See* Conjunctive query
 - decomposition, *See* Query decomposition
 - for distributed databases, 353–361
 - for joins, 353–359
 - fragments of relations, *See* Fragment
 - levels of information, 293–295
 - of joins, 290
 - optimization, 289–290
 - optimizing algebraic expressions, *See* Algebraic optimization
 - semijoin, *See* Semijoin
 - simplification, *See* Simplification
 - tableau query, *See* Tableau optimization
 - under dependencies, 290, 294
- Query system, 224 *See also* Conjunctive query, Domain relational calculus, Relational algebra, Tableau query, Tuple relational calculus complete, 226–227, 527, 551
 - completeness, *See* Completeness
 - equally expressive, 226

- equivalence, *See* Equivalence
- expressive power, 226-227
- Query-by-Example, *See* QBE

- RAM model, 63
- Random access machine, 63
- RAP-derivation sequence, *See* Derivation sequence
- rE, *See* Graham reduction
- Reasonable possibility function, *See* Possibility function
- RED, *See* Hypergraph
- REDUCE, 77, 90
- Reduced CFD, *See* Compound functional dependency
- Reduced cover, *See* Cover
- Reduced FD, *See* Functional dependency
- Reduced hypergraph, *See* Hypergraph
- Reduced minimum cover, *See* Cover
- Reduction, *See* Domain relational calculus, Relational algebra, Subsumption, Tuple relational calculus full, *See* Full reduction
- Redundancy, data, 98, 123, 147
 - testing for, *See* Functional dependency
- REDUNDANT, 73
- Redundant tuple, *See* Partitioned relation
- Reeve, C. L., 600, 606
- Reflexivity, *See* Inference axiom
- Reisner, P., 596
- Reiter, R., 437, 606
- Rel, 373
- Relation, 1-2 *See also* Instance
 - arbitrary, 506
 - Armstrong, 50
 - augmenting another relation, 373-374, 381-382
 - base, 287
 - close extension, *See* Extension
 - completion, *See* Completion
 - computed, *See* Computed relation
 - constant, 26-27, 262, 276
 - decomposition, *See* Decomposition
 - derived, *See* Window function
 - empty, 295
 - extending another relation, *See* Extension
 - extension, *See* Extension
 - join
 - fixed-point, *See* Fixed-point
 - fragmented, *See* Fragment
 - full reduction, *See* Full reduction
 - graph, *See* Graph
 - horizontal decomposition, *See* Decomposition
 - incomparable, *See* Partial relation
 - infinite, 506-509
 - minimal extension, *See* Extension
 - normal form, *See* Normal
 - padding, *See* Padding
 - partial, *See* Partial relation
 - partitioned, *See* Partitioned relation
 - procedural extension, 535
 - satisfaction of dependencies, *See* Satisfaction
 - scheme, *See* Relation scheme
 - small, 319
 - state, 4
 - stored extension, 535
 - subscheme, *See* Subscheme relation
 - tableau query against, *See* Tableau query
 - tabular, *See* Tabular relation
 - total 373-374
 - truth assignment, *See* Truth assignment
 - two-tuple, *See* World of two tuple relations
 - updates, *See* Update
 - virtual, 287, 534, 554 *See also* Window function
 - with inhomogeneous tuples, 408
 - with nulls, *See* Null value, Partial relation
- Relation scheme, 2
 - applicable FD, *See* Functional dependency
 - applicable JD, *See* Join dependency
 - applicable MVD, *See* Multivalued dependency
 - avoidable attribute, *See* Attribute decomposition, *See* Decomposition
 - domain, *See* Domain
 - embodied FD, *See* Functional dependency

- FD over, 49
- indirectly enforceable FD, *See* Functional dependency
- maximal, 435
- normal form, *See* Normal form
- normalization, *See* Decomposition, Synthesis
- removable attribute, *See* Attribute
- row over, *See* Row
- subscheme, *See* Subscheme relation
- synthesis, *See* Synthesis
- Relational algebra, 34–37, 224–227
 - and transitive closure, 528–533
 - extensions, 533, 550
 - identity, *See* Identity
 - limitations, 527–533
 - query modification, *See* Query modification
 - reduction from domain calculus, 257–261
 - reduction to tuple calculus, 242–244, 247–249
 - restrictions, 550
 - with complement, 36, 242–244
 - with computed relations, *See* Computed relation
 - with partial relations, *See* Generalized relational operator
 - with restricted operators, 36–37, 226–227
- Relational calculus, *See* Domain relational calculus, Tuple relational calculus
- Relational database, *See* Database
- Relational operator, *See* Boolean operation, Divide, Factor, Join, Project, Renaming, Restrict, Select, Split
 - aggregate, *See* Aggregate operator
 - associativity, *See* Associativity
 - commutativity, *See* Commutativity
 - distributivity, *See* Distributivity
 - fixed-point, *See* Fixed-point operator
- Removable attribute, *See* Attribute
- Renaming attributes, 27–29, 408
- Renaming variables, *See* Chase, Tableau query
- REP, *See* Tableau
- Replacement system, 168–169
 - finite, 168
 - irreducible object, 168
- Replication, *See* Inference axiom
- Representation, adequate, 195–207, 210–221
 - condition, *See* Independent components condition, Information preservation condition, Join condition, Lossless join property, Preservation condition, Property S of database schemes, 195–221
 - of total relations by partial relations, *See* Possibility function
 - testing if adequate, 210–217
 - unique, 199
- Representation set, *See* Tableau
- REPUGNANT, 91
- Restrict, 290
- Restricted algebraic expression, 268–275
- Restricted expression, *See* Algebraic expression
- Restricted FDs, *See* Functional dependency
- Restricted operator, *See* Generalized relational operator
- Restriction, of GFD, *See* Generalized functional dependency
- of TDs, *See* Template dependency
- R_F -extension, *See* Extension join
- ρ , *See* Valuation
- Right side, *See* Compound functional dependency, Functional dependency
- RIGHTRED, 76, 90
- Right-reduced FD, *See* Functional dependency
- Rissanen, J., 145, 194, 199, 223, 594, 606
- rN, *See* Graham reduction
- Role, of an attribute, 407–408
- Rothnie, J. B., 482, 600, 606
- Row, conclusion, *See* Template dependency
 - corresponding, 166, 177–178
 - hypothesis, *See* Generalized functional dependency, Template dependency

- of a relation, *See* Tuple
- of a tableau, *See* Tableau
- of a tableau query, *See* Tableau query
- over a scheme, 495
- stabilized, *See* Tableau
- superseded, *See* Supersede
- tag, *See* Tableau query
- winning, *See* Tableau
- Rozenshtein, D., 591, 604, 606
- Rubenstein, P., 369, 608
- Running intersection property, 455, 460
 - and increasing join property, 471-472
 - and join trees, 471
- Rustin, R., 606
- S, *See* Property S
- Sadri, F., 145, 223, 547, 549, 604, 606
- Safe expression, *See* Domain calculus expression, Tuple calculus expression
- Sagiv, Y., 144-145, 194, 370, 438, 547-549, 593-594, 604, 606-607
- Salveter, S., 604
- SAT, *See* Satisfaction class
- Satisfaction, active, 489
 - class, *See* Satisfaction class
 - global, 416, 421-423
 - local, 423
 - of dependencies by a tableau, 162-168
 - of ECs, 385
 - of FDs by a database, 95
 - of FDs by a relation, 43
 - of FDs in the presence of nulls, 377-384
 - of GFDs, 516-517
 - of JDs, 443
 - of JDs by a relation, 139-140
 - of modified foreign key constraint, 421
 - of MVDs by a relation, 124-127
 - of objects, 409
 - of TDs, 494-495, 500, 503-504, 506-509
 - testing, 43-44, 126-127
- Satisfaction class, 148, 183, 210-221, 493
 - closure under projection, *See* Closure
- SATISFIES, 43-44, 71
- sch*, 35-36
- Scheme, database, *See* Database scheme
 - fragment, *See* Fragmentation scheme
 - of a tableau, *See* Tableau
 - of a tuple variable, *See* Tuple variable
 - of an algebraic expression, 35-36
 - relation, *See* Relation scheme
- Schenk, K. L., 370, 607
- Schkolnick, M., 370, 593, 596, 607
- Schmid, H. A., 438, 607
- Sciore, E., 438, 483, 548, 607
- SDD-1, 370, 482
- Second normal form, *See* Normal form, second
- Sekino, L. C., 92, 603
- Select, 13-15, 262, 276, *See also* Restrict
 - and Boolean operations, 14-15
 - and fragmentation schemes, 359
 - and project, 16
 - condition in CNF, 308
 - for partial relations, *See* Generalized relational operator
 - generalized, *See* Generalized relational operator
 - on ordered domains, 32-33
 - pushing, *See* Algebraic optimization
 - simplification, *See* Simplification
- Selinger, P. G., 370, 593, 596, 607, *See also* Griffiths, P. P.
- Semijoin, 354-359, 439-442
 - alternate usage, 482
 - antijoin, *See* Antijoin
 - complete program, 465
 - completion point of a program, 465
 - for distributed databases, 355-356, 439-441
 - full reducer, *See* Full reducer
 - maximal reducer, 481
 - program, 357, 441
 - reducing a database, 356-359

- SEQUEL, 591
 Sequence, generating, *See* Chase
 Set basis, minimal disjoint, 133-135
 Set difference, *See* Boolean operation
 Set query, *See* Tableau set query
 Sethi, R., 194, 598, 607
 Shiftable attribute, *See* Attribute
 Shipman, D. W., 606
 Shmueli, O., 483-484
 Shneiderman, B., 607
 Shopiro, J. E., 370, 607
 Shultis, J. C., 41
 σ , *See* Select
 Simple edge, *See* Connection graph
 Simple tableau query, *See* Tableau query
 Simple TD, *See* Tableau dependency
 Simplification, algebraic, 289, 295-301
 and common subexpressions, 299-301
 of unary operators, 300-301
 using containment, 299-300
 Slutz, D. R., 593, 596
 Small relation, *See* Relation
 Smith, D. C. P., 438, 607
 Smith, J. M., 370, 438, 607
 Soft violation, *See* Violation
 Solitary node, *See* Hypergraph
 Sorenson, P., 370, 607
 Sowa, J. F., 438, 607
SP, *See* Semijoin
 Spanning tree, algorithm, 483
 maximum-weight, 457, 459-460
 Splicing, *See* Derivation DAG
 Split, 37
 SQL, 550, 561-568, 591
 aggregate operator, 567
 arithmetic expression, 567
 duplicate elimination, 562, 566
 grouping in aggregate operators, 567-568
 naming columns in output, 567
 ordering output, 566
 qualifier, 564-565
 restriction in aggregate operators, 567-568
 select statement, 561-562
 set comparison, 562
 set operators, 566
 *566-567
 subquery, 562-564
 taking joins, 565-566
 SQUARE, 561, 591
 mapping, 561
 Stabilized row, *See* Tableau
 STABLE, *See* Tableau
 Stage, *See* Chase
 Stein, J. H., 438, 604, 608
 Steiner, H.-G., 92, 608
 Stockmeyer, L. H., 369, 608
 Stonebraker, M. R., 369-370, 591, 598, 608
 Strength, *See* Possibility function
 Strictly partial TD, *See* Template dependency
 Strong, D. R., 596
 Strong faithfulness, *See* Faithfulness condition
 Strongest TD, *See* Template dependency
 Structured Query Language, *See* SQL
 SUB, *See* Subsumption
 Subexpression, *See* Common subexpression
 Subhypergraph, *See* Hypergraph
 Subscheme relation, 408-411
 Subset dependency, 548-549
 Substitution, *See* Domain calculus
 formula, Tuple calculus formula
 Subsumption, 155-156, 177-178, 325-326
 for partial relations, 373, 382
 for partial tuples, 373, 400-401
 reduction of tableau, 156
 Subtableau, *See* Tableau query
 Subtuple, *See* Tuple
 Summary, *See* Tableau query
 Sundgren, B., 438, 608
 Superkey, *See* Key
 Supersede, 326, 424
 SURE, *See* Partitioned relation
 Sure tuple, *See* Partitioned relation
 Swenson, J. R., 438, 607
 Symbol, *See* Tableau, Tableau query
 Synthesis, 107-117, 138
 algorithm, 109-133
 and BCNF, 119

- correctness, 110-113
 - properties, 110-113
 - refinements, 113-115
 - SYNTHESIZE, 109-117
 - System R., 550, 561, 591
 - SQL, *See* SQL
 - Szymanski, T. G., 370, 593
- Table, *See* Relation, Tableau
- Tableau, 148-156
- as a mapping, 150-152
 - as a relation, 182-186
 - as a template, 182-186
 - as FCR system, 170-174
 - chase, *See* Chase
 - containment, *See* Containment
 - containment mapping, *See* Containment mapping
 - corresponding row, *See* Row
 - covering another tableau, 325
 - distinguished variable, 148
 - equivalence, *See* Equivalence
 - for a database scheme, 151
 - generating sequence, *See* Chase
 - infinite, 515, 522
 - nondistinguished variable, 148, 187-188
 - original variable, 513, 521
 - query, *See* Tableau query
 - reduction, *See* Subsumption
 - representation set, 183-186
 - representing project-join, mappings 151-155
 - row, 148
 - scheme, 148
 - stabilized row, 522
 - symbol, 148
 - transformation rule, *See* Transformation rule
 - valuation, *See* Valuation
 - variable, 148
 - winning row, 494
- Tableau optimization, 323-350
- companion set, 328-333
 - construction sequence, 332
 - multirelation, 339-347
 - of simple queries, 327-335
 - of tableau set queries, 348-351
 - of tagged tableaux, 345-347
 - on a database, 339-347
 - using the chase, 336-339
 - with dependencies, 335-347
- Tableau query, 224, 262-278, 550
- against a database, 262, 274-275, 339-347
 - against a relation, 262
 - and algebraic expressions, 275, 323
 - applying to a database scheme, 267
 - blank, 263
 - C-minimum, 337-339
 - compatible, 276, 323
 - constant, 263
 - containment, *See* Containment
 - covering another tableau query, 325
 - decidable, *See* Computed relation
 - distinguished variable, 263
 - equivalence, *See* Equivalence
 - equivalent minimum, 326
 - equivalent tuple calculus expression, 266
 - evaluation, 263-265, 540-541
 - expression, 364
 - for an algebraic expression, 268-275
 - listable, *See* Computed relation
 - mapping, *See* Containment mapping
 - matched symbol, 267, 326, 344-345
 - minimization, *See* Tableau optimization
 - minimum, 326-328, 331-335
 - minimum equivalent, 326, 328, 333-335
 - multirelation, 274-275, 339-347
 - nondistinguished variable, 263
 - optimization, *See* Tableau optimization
 - renaming variables, 325, 327
 - row, 263
 - set query, *See* Tableau set query
 - simple, 323, 327-328, 330-335
 - single relation, 262-274
 - subtableau, 326, 328-329, 333
 - summary, 263
 - superseded row, *See* Supersede
 - symbol, 263
 - tag of a row, 274

- tagged, 262, 274–275, 345–347, 537
- untagged, 262, 348
- valuation, *See* Valuation
- value, 265–266
- variable, 263
- Tableau set query, 276–278
 - and algebraic expressions, 276–278
 - compatible, 276
 - containment, *See* Containment
 - equivalence, *See* Equivalence
 - minimum, 349–350
 - nonredundant, 348
 - value, 276–278
- Tabular relation, 535
- tag, *See* Tableau query
- Tagged tableau query, *See* Tableau query
- Tanaka, K., 145, 370, 548, 603, 608
- Taniguchi, K., 601
- Tarjan, R. E., 194, 598
- τ , *See* Template dependency
- TC, *See* Consistency
- TD, *See* Template dependency
- Template, *See* Tableau
- Template dependency, 493–497
 - application to tableau, *See* Transformation rule
 - cardinality, 497
 - closure under projection, *See* Closure
 - conclusion row, 494–495, 501
 - containment mapping, *See* Containment mapping
 - conventions for writing, 495
 - full, 496
 - graph, *See* Graph
 - hypothesis row, 494–495
 - implication, *See* Implication
 - inference axiom, *See* Inference axiom
 - infinity of, 504–505
 - on two attributes, 497–498
 - partial, 496, 499–500
 - representing a JD, 497
 - restriction, 525–526
 - satisfaction, *See* Satisfaction
 - simple, 544
 - strictly partial, 496
 - strongest, 498
 - trivial, 495
 - typed, 496
 - untyped, 496
 - valuation, *See* Valuation
 - weaker chain, 504–505
 - weakest full, 499
- Testing for equivalent sets of FDs, *See* Equivalence
- Testing for redundancy, *See* Functional dependency
- Testing implication, *See* Implication
- Testing membership in a closure, *See* Closure
- Testing satisfaction, *See* Satisfaction
- θ -comparable, 31
- Theta-join, *See* Join
- Third normal form, *See* Normal form, third
- 3NF, *See* Normal form
- Tight decomposition, *See* Decomposition
- Tight fourth normal form, *See* Normal form
- Time-complexity, 63
- Ting, P. D., 92, 603
- Todd, S. J. P., 30, 41, 482, 549, 591, 601, 608
- Tompa, F. W., 117, 122, 603
- Total consistency, *See* Consistency
- Total projection, *See* Project
- Total relation, *See* Relation
- Total tuple, *See* Tuple
- Tou, J. T., 608
- T_R , *See* Tableau
- Traiger, I. L., 593, 596
- Transformation relation, 168
- Transformation rule, 162–164
 - for marked nulls, 380–381
 - for nulls, 378–381
 - F-rule, 162–163, 187, 336, 347
 - G-rule, 518–520
 - J-rule, 163–164, 187, 336
 - T^+ -rule, 513–514
 - T-rule, 510–513
- Transitive closure, 527–528
 - and relational algebra, 528–533
- Transitive dependency, *See* Functional dependency
- Transitivity, *See* Inference axiom

- Tree, *See* Decomposition tree, Expression tree, Join plan, Join tree, Spanning tree
- Trivial FD, *See* Functional dependency
- Trivial GFD, *See* Generalized functional dependency
- Trivial hypergraph, *See* Hypergraph
- Trivial JD, *See* Join dependency
- Trivial MVD, *See* Multivalued dependency
- Trivial TD, *See* Template dependency
- T-rule, *See* Transformation rule
- Truth assignment, for a relation, 486-487
- Tsichritzis, D. C., 10, 608
- Tsou, D. -M., 122, 145, 194, 599, 608-609
- Tsuda, T., 370, 608
- Tuple, 2
 - agreement of partial tuples, 379
 - compatible, 403
 - constant, 26-27
 - definiteness, 373
 - extending another tuple, *See* Extension
 - inhomogeneous, 406
 - joinable, 19-20
 - maybe, *See* Partitioned relation
 - padding, *See* Padding
 - partial, 373
 - redundant, *See* Partitioned relation
 - subsuming another tuple, *See* Subsumption
 - subsumption, *See* Subsumption
 - subtuple, 406, 409
 - sure, *See* Partitioned relation
 - total, 373
 - value on an attribute, 3
- Tuple calculus expression, 227, 236-242, 247-249
 - and algebraic expressions, 308
 - equivalent tableau query, 266
 - evaluation, 240-242, 246-247, 307
 - limited evaluation, 246-249, 257
 - safe, 247-249, 257, 550
 - unlimited evaluation, 246, 249, 257
 - value, 240-242, 246-247
- Tuple calculus formula, 229-236
 - atom, 230, 233, 237
 - connective, *See* Connective
 - interpretation, *See* Interpretation
 - legal, 233-234
 - shorthand, 234
 - substitution for variables, 237
 - truth, 230
 - with nulls, 375-377
- Tuple generating dependency, 548-549
- Tuple relational calculus, 224, 227-249, 550
 - completeness, *See* Completeness
 - expression, *See* Tuple calculus expression
 - reduction from relational algebra 242-244, 247-249
 - reduction to domain calculus, 255-257
 - tuple variable, *See* Tuple variable
- Tuple substitution, *See* Query decomposition
- Tuple variable, 227
 - bound occurrence, 231-236
 - free occurrence, 231-236
 - mention set, 232-236
 - occurrence, 234
 - scheme, 232
 - substitution, 237
 - type, 231-236
- 2NF, *See* Normal form
- 2_X , 488
- type*, *See* Domain variable, Tuple variable
- Typed GFD, *See* Generalized functional dependency
- Typed TD, *See* Template dependency
- U*, *See* Derivation DAG, use set
- UIA, *See* Universal relation assumption
- Ullman, J. D., 10, 63, 70, 145, 194, 286, 370, 438, 483-484, 547, 549, 591, 593-594, 599, 603-604, 606, 609
- Unenforceable FD, *See* Functional dependency
- Union, *See* Boolean operation
- Unique decomposition, *See* Decomposition

- Unique representation property, 199
- Uniqueness condition, 423–427
 - and window functions, 427
- Universal instance, 416
- Universal instance assumption, 406
 - and window functions, 413
- Universal key, *See* Key
- Universal quantifier, *See* Connective
- Universal relation assumption, 406–409
- Universal relation scheme assumption, 407–413, 427
- Unknown value, *See* Value
- Unlimited evaluation, *See* Domain calculus expression, Tuple calculus expression
- Unlimited interpretation, *See* Interpretation
- Untagged tableau query, *See* Tableau query
- Untyped TD, *See* Template dependency
- Update, 5–8
 - add, 5–7
 - and containment condition, 411
 - anomaly, 98
 - change, 8
 - delete, 7–8
- Update system, 224
- URSA, *See* Universal relation scheme assumption
- Use set, *See* Derivation DAG, Derivation sequence

- Valid fragmentation scheme, *See* Fragmentation scheme
- Valuation, for a tableau, 149–151
 - of a row, 149
 - of a tableau, 149
 - of a tableau query, 263–265
 - of a TD, 495
- Value, *See* Tableau set query
- Value, of a tableau query, *See* Tableau query
 - of an expression, *See* Domain calculus expression, Tuple calculus expression
 - unknown, 372

- Vardi, M. Y., 145, 194, 548–549, 594–595, 609
- Variable, *See* Domain variable, Tableau, Tableau query, Tuple variable
- Vassiliou, Y., 437, 609
- Vianu, V. 370, 598
- View, 287 *See also* Window function
- Violation, 380
 - hard, 380–382
 - of FDs, 487
 - of MVDs, 490–492
 - of TDs, 506–509
 - soft, 380
- Virtual relation, *See* Relation

- Waddle, V., 438, 601
- Wade, B. W., 593, 596
- Walecka, S., 145, 548–549, 607
- Walker, A., 437–438, 609
- Wang, C. P., 122, 609
- Warren, D. S., 438, 549, 597, 604
- Watson, V., 593
- Weak instance, 416–420, 424
 - C-weak instance, 418
 - defining a window function, 418
- Weakening, *See* Inference axiom
- Weaker chain, *See* Template dependency
- Weakest TD, *See* Template dependency
- Wedekind, H. H., 122, 609
- Weight, of a database scheme, *See* Database scheme
 - of a graph, *See* Intersection graph
 - of an attribute, *See* Attribute
 - of an edge, *See* Intersection graph
- WI, *See* Weak instance
- Wiederhold, G., 10, 609
- Window function, 372, 410–416, 418–421, 427–432
 - and UIA, 413
 - and uniqueness condition, 427
 - computation, 420, 427
 - containment condition, *See* Containment condition
 - faithful, *See* Faithfulness condition
 - for objects, 430

- in PIQUE, 583-585
- on arbitrary attributes, 412
- on objects, 412-413
- strong faithfulness, *See* Faithfulness condition
- using dependencies, 418, 427
- using join, 413-415
- weak instance, 418
- Winning row, *See* Tableau
- Wong, C. K., 369, 608
- Wong, E., 369-370, 591, 598, 600, 606, 608-609
- World of two-tuple relations, 486-493
- WT, *See* Attribute, Database scheme, Intersection graph
- Yajima, S., 145, 548, 603, 608
- Yannakakis, M., 194, 286, 437-438, 483-484, 547-549, 594, 599, 601, 604, 607, 609
- Yao, S. B., 370, 438, 601, 609
- Yost, R. A., 593, 596
- Youssefi, K., 370
- Yu, C. T., 456, 483, 609
- Zaidan, S. M., 223, 600
- Zaniolo, C., 144-145, 393, 437-438, 610
- Zloof, M. M., 568, 591, 610